Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the

application:

Listing of claims:

51. (Currently Amended) An apparatus for biological reactions, comprising:

a substrate-holding area;

a substrate comprising a top surface and a flat bottom, disposed in a seated position on

said substrate-holding area;

an array of wells formed in said top surface of said substrate;

one or more components for real-time fluorescence-based measurements of nucleic acid

amplification products held in at least some of said wells; and

a vacuum source disposed for communication with said substrate-holding area, whereby a

vacuum can be established reaching to, and drawing upon, said flat bottom of said substrate,

thereby maintaining the substrate in said seated position, wherein said vacuum does not reach to

said top surface communicate through said substrate.

52. (Previously Presented) The apparatus of claim 51, further comprising a film disposed on

said substrate, over said array of wells.

53. (Previously Presented) The apparatus of claim 52, wherein said film is optically clear.

Page 2 of 7

Application No. 10/603,049
Response to Office Action mailed March 22, 2007
Amendment dated July 23, 2007

- 54. (Previously Presented) The apparatus of claim 51, further comprising a passageway, said passageway communicating said vacuum source and said substrate-holding area.
- 55. (Previously Presented) The apparatus of claim 51, wherein said substrate comprises a micro-plate or card.
- (Previously Presented) The apparatus of claim 51, wherein said components for real time fluorescence-based measurements of nucleic acid amplification products comprise at least a probe and primers.
- 57. (Previously Presented) The apparatus of claim 51, further comprising an excitation beam adapted for optical communication with said components for real time fluorescence-based measurements of nucleic acid amplification products.
- 58. (Previously Presented) The apparatus of claim 51, wherein the substrate-holding area includes indexing features for facilitating alignment of said substrate thereon.
- 59. (Previously Presented) The apparatus of claim 58, wherein said indexing features include indexing bores.
- 60. (Currently Amended) A method for biological reactions, comprising:

Application No. 10/603,049

Response to Office Action mailed March 22, 2007

Amendment dated July 23, 2007

providing a substrate comprising a top surface including an array of wells and a flat

bottom surface;

providing one or more components for real-time fluorescence-based measurements of

nucleic acid amplification products in at least some of said wells;

placing said substrate on a substrate-holding area; and

establishing a vacuum reaching to, and drawing upon, said flat bottom surface of said

substrate, thereby maintaining the substrate on said substrate-holding area, wherein said vacuum

does not reach to said top surface communicate through said substrate.

61. (Previously Presented) The method of claim 60, further comprising directing an

excitation beam into each of a plurality of fluorescent mixtures separately contained in said array

of wells.

62. (Previously Presented) The method of claim 61, further comprising monitoring, in real

time, the progress of each reaction.

63. (Previously Presented) The method of claim 62, wherein said monitoring includes

measuring the fluorescence intensity from each of said fluorescent mixtures.

64. (Previously Presented) The method of claim 60, wherein said substrate comprises a high

density micro-plate or card.

in ar is

Page 4 of 7

Application No. 10/603,049 Response to Office Action mailed March 22, 2007 Amendment dated July 23, 2007

- 65. (Previously Presented) The method of claim 60, wherein said substrate comprises a bore and a slot.
- 66. (Previously Presented) The apparatus of claim 51, wherein said substrate comprises a high density micro-plate or card.
- 66. (Previously Presented) The apparatus of claim 51, wherein said substrate comprises a bore and a slot.
- 67. (New) The apparatus of claim 51, wherein the substrate has no through holes between any of the wells of the array of wells.
- 68. (New) The method of claim 60, wherein the substrate has no through holes between any of the wells of the array of wells.